



# MeridiClean™

## ALL PURPOSE CLEANER & DISINFECTANT

- Concentrated Cleaner, Deodorant, Disinfectant.
- Cleans, Disinfects And Deodorizes In One Labor-saving Step
- 5 Minute Acting Disinfectant.
- This Product Contains No Phosphates.
- For Homes, Restaurants, Hospitals, Institutional And Industrial Use
- Formulated For Veterinary Practice / Animal Care / Animal Laboratory Disinfection
- Multi-purpose
- Multi-surface
- Cross-contamination is of major housekeeping concern. MeridiClean has been formulated to aid in the reduction of cross-contamination on treated surfaces not only in hospitals, but in schools, institutions and industry.

### ACTIVE INGREDIENTS:

Diocetyl Dimethyl Ammonium Chloride: 5.26%

Alkyl (C12, 67%; C14, 25%; C16, 7%; C18, 1%) dimethyl benzyl ammonium chloride: 3.51%

OTHER INGREDIENTS: 91.23%

TOTAL: 100.00%

### KEEP OUT OF REACH OF CHILDREN DANGER

### FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER.

Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled or absorbed through the skin. Harmful if swallowed. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Product Code	625D	625MP
Volume	1.06 US gallons	1.06 US gallons
Shipping Package	4 x 1.06 gallons	4 x 1.06 gallons
Pallet Quantity	48	48

625\_DIRECTIONS 04/20



# MeridiClean™

## ALL PURPOSE CLEANER & DISINFECTANT

### STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

### PESTICIDE STORAGE:

Open dumping is prohibited. Store in original container in areas inaccessible to children.

### PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture and dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

### MERIDICLEAN IS EFFECTIVE AGAINST:

#### SARS-CoV-2 Claim

\*\* Pioneer Eclipse's MeridiClean All Purpose Cleaner and Disinfectant has demonstrated effectiveness against viruses similar to SARS-CoV-2, a novel coronavirus, on hard, non-porous surfaces. Therefore, MeridiClean can be used against SARS-CoV-2 when used in accordance with the directions for use against Norovirus on hard, non-porous surfaces. Refer to the CDC website <https://www.cdc.gov/coronavirus/2019-nCoV/index.html> for additional information.

EPA Registration Number: 6836-366

Refer to the EPA website <https://www.epa.gov/pesticide-registration/list-n-disinfectants-use-against-sars-cov-2> for additional information.

**5 MINUTE CONTACT TIME:** Bacteria: *Pseudomonas aeruginosa* (*Pseudomonas*), *Salmonella enterica* (*Salmonella*), *Staphylococcus aureus* (*Staph*), *Acinetobacter baumannii* (*Acinetobacter*), *Enterobacter aerogenes*, *Enterobacter cloacae* NDM 1 – Carbapenem Resistant (CRE), *Enterococcus faecalis* - Vancomycin resistant (VRE), *Escherichia coli* (*E. coli*), *Escherichia coli* O157:H7, *Escherichia coli* – Extended Spectrum Beta Lactamase producing (ESBL *E. Coli*), *Escherichia coli* NDM-1 - Carbapenem Resistant (CRE), *Klebsiella pneumoniae* (*Klebsiella*), *Klebsiella pneumoniae* – Extended Spectrum Beta Lactamase producing, *Klebsiella pneumoniae* NDM 1- Carbapenem Resistant (CRE), *Staphylococcus aureus* - Community Associated (CA-MRSA) (NRS384) (USA300), *Staphylococcus aureus* - Methicillin-Resistant (MRSA), *Staphylococcus aureus* - Vancomycin Resistant – (VRSA), *Streptococcus pyogenes* (*Strep*). Viruses: \*Hepatitis B Virus (HBV), \*Hepatitis C Virus (HCV), \*Herpes Simplex Virus Type 1, \*Herpes Simplex Virus Type 2, \*HIV-1 (AI S virus), \*Human Coronavirus, \*Influenza A Virus (H7N9), \*Influenza A virus / Hong Kong (Influenza) (Influenza Virus), \*Norwalk Virus – Norovirus, \*Respiratory Syncytial Virus (RSV), \*SARS associated Coronavirus (SARS), \*Vaccinia (Pox Virus). Animal Viruses: \*Avian Influenza (H5N1), \*Feline Calicivirus. Fungi: *Candida albicans*.

**10 MINUTE CONTACT TIME:** Fungi: *Trichophyton mentagrophytes* (athlete's foot fungus) (8 oz. per gallon) Animal Viruses: Canine Parvovirus (16 oz. per gallon).

Product Code	625D	625MP
Volume	1.06 US gallons	1.06 US gallons
Shipping Package	4 x 1.06 gallons	4 x 1.06 gallons
Pallet Quantity	48	48



# MeridiClean™

## ALL PURPOSE CLEANER & DISINFECTANT

### FLOOR COATING COMPATIBILITY:

This disinfectant is safe to use on Pioneer Eclipse floor coatings when correctly diluted and used according to the product directions.

If disinfectant applied is too concentrated, it will dull and start to degrade the finish.

If additional coats of finish are to be applied to floors treated with a disinfectant, they either must be cleaned with ReBoot™ Deep Scrub Floor Cleaner or completely stripped.

Pioneer Eclipse floor coatings can continue to be burnished and maintained as normal, even after disinfection.

### DIRECTIONS:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected. This product is not for use on medical device surfaces. Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

### PREPARATION OF DISINFECTANT USE-SOLUTION:

Add 2 oz. per gallon of water. For fungicidal activity against Trichophyton mentagrophytes, add 8 oz. per gallon of water. **DISINFECTION / VIRUCIDAL:** Apply use-solution to hard, nonporous, non-food contact surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 5 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes. MeridiClean is effective in one step against Candida albicans at 2 oz. per gallon in 250 ppm hard water and 5% serum. Treated surfaces must remain wet for 5 minute contact time (when used according to disinfection directions). MeridiClean is effective in one step against Trichophyton mentagrophytes (athlete's foot fungus) at 8 oz. per gallon in 250 ppm hard water and 5% serum. Treated surfaces must remain wet for 10 minute contact time (when used according to disinfection directions).

To disinfect food processing facilities: Spray surfaces with solution and allow to remain wet for 5 minutes. Rinse food contact surfaces with potable water prior to reuse.

**\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1 associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV). Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces/Objects Soiled With Blood / Body Fluids. Personal Protection: Cleanup must always be done wearing protective gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of MeridiClean. Contact Time: Leave surface wet for 5 minutes with a 2 oz. per gallon use solution. Disposal of Infectious Material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal. **NON-ACID TOILET BOWL AND URINAL DISINFECTANT / CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. From Concentrate: Add 2 oz. to the bowl and mix. Brush over exposed surfaces and under the rim; allow to stand for 5 minutes and flush. From Use Solution: Empty toilet bowl (or urinal) and apply 2 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray. Brush thoroughly; allow to stand for 5 minutes and flush. For Heavy Duty Use: Empty toilet bowl (or urinal) and apply 8 oz. per gallon use-solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, brush or swab thoroughly, allow to stand for 5 minutes and flush.

Product Code	625D	625MP
Volume	1.06 US gallons	1.06 US gallons
Shipping Package	4 x 1.06 gallons	4 x 1.06 gallons
Pallet Quantity	48	48



# MeridiClean<sup>TM</sup>

## ALL PURPOSE CLEANER & DISINFECTANT

**FOR USE ON FINISHED FLOORS:** To limit gloss reduction use MeridiClean at 2 oz. per gallon of water. Apply with a damp mop, spray mop or auto scrubber or spray. Allow surface to remain wet for 5 minutes. Wipe or allow to air dry. **VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION / VIRUCIDAL DIRECTIONS:** For cleaning and disinfecting hard, nonporous surfaces: equipment used for feeding or watering animals, utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of MeridiClean per gallon of water for a period of 5 minutes (10 minutes for Canine Parvovirus using a 16 oz. per gallon dilution). Wipe or allow to air dry. Immerse all animal handling and restraining equipment as well as forks, shovels, and scrapers used to remove litter and manure. Rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

**WATER DAMAGE RESTORATION AGAINST ODOR-CAUSING BACTERIA FOR HOME, INSTITUTIONAL, INDUSTRIAL AND HOSPITAL USE: {NOT FOR USE IN CALIFORNIA}** This product is particularly suitable for use in water damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushions, subfloors, drywall, trim and frame lumber, tackless strip and paneling. Using appropriate dilution, saturate the affected materials with enough product to remain wet for at least 5 minutes. **Sewer Backup and River Flooding:** During mitigation procedures, dilute 2 - 4 oz. of the concentrate per gallon of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a coarse spray device before and after cleaning and extraction. **Carpets, Carpet Cushions and Other Porous Materials such as Subfloors, Drywall, Trim and Frame Lumber, Tackless Strip and Paneling:** For water damage from a clean source, extract excess water. Test hidden area for colorfastness. Dilute 2 - 4 oz. of the concentrate per gallon of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Saturate all affected areas with a coarse spray device. Roll, brush or agitate into the materials and allow materials to remain wet for 5 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

### TO CLEAN AND DEODORIZE:

Mix 2 oz. of MeridiClean per gallon of water to clean and deodorize surfaces. Apply using a sprayer. Wipe or allow to air dry.

### DEODORIZING DIRECTIONS:

**Spray Mopping Solutions:** 2 - 4 oz. per gallon of water eliminates undesirable odors. Allow surfaces to air dry. **Nursing Homes, Hospitals, Hotels, Schools, Restaurants:** Using 2 - 4 oz. in chemical toilets, waste receptacles, bed pans, drainage bottles, diaper pails, hampers, disposals, commodes and air conditioner pans will eliminate odors. **Mopping Solutions, Automatic Scrubbers:** Use 2 - 4 oz. per gallon of cleaning solution eliminates undesirable odors. **Sewage Backup, Water Damage:** 4 - 8 oz. per gallon of water or desired concentration. Spray over affected areas before and after cleaning and extraction. Allow 5 minutes contact time. Use proper ventilation; open windows. **Cleaning Solution:** Dilute 2 - 4 oz. per gallon of water for cleaning of kitchen counters, tables, walls, bathrooms, toilet seats, mopping floors and large routine applications. Apply to surfaces using trigger spray or other spray device. Remove excess liquid or allow surfaces to air dry.

Product Code	625D	625MP
Volume	1.06 US gallons	1.06 US gallons
Shipping Package	4 x 1.06 gallons	4 x 1.06 gallons
Pallet Quantity	48	48