

SAFETY DATA SHEET READY TO USE

Conforms to 1910.1200 Issued: Dec. 19, 2019

ATLAS™

149

1

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Atlas Ultra Durable Floor Coating	Product Number:
Recommended Use:	Floor Finish	
	Ready to Use.	
	Product intended for commercial and industrial use only.	
<u>Uses Advised Against:</u>	Other than per labelled instructions	

Manufacturer Address:

Amano Pioneer Eclipse Corporation P.O. Box 909 1 Eclipse Road Sparta, NC 28675 Telephone: 1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

FOR CHEMICAL EMERGENCY: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

2: HAZARDS IDENTIFICATION	
Classification:	Not classified as hazardous; as determined by OSHA 1910.1200.
Signal Word:	None
Pictogram:	None
Hazard Statements:	None
Precautionary Statements:	None
Other Hazards:	None
Supplemental Information:	None
3: COMPOSITION/INFORMATION	ON INGREDIENTS

Ingredient	CAS Number	Weight % *
diethylene glycol monoethyl ether	111-90-0	1 - 5
dipropylene glycol methyl ether	34590-94-8	1 - 5

4: FIRST AID MEASURES

DECRIPTION OF FIRST AID MEASURES

Eye Contact:Rinse with plenty of water. If irritation develops and persists, seek medical attention.Skin Contact:Wash with soap and plenty of water. If irritation develops and persists, seek medical attention.Inhalation:If breathing is difficult, remove to fresh air. If symptoms persist, seek medical attention.Ingestion:If ingested, do not induce vomiting. Seek medical attention.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

- Eye Contact: None expected under normal use.
- Skin Contact: None expected under normal use.
- Inhalation: None expected under normal use.
- Ingestion: None expected under normal use.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

5: FIRE-FIGHTING MEASURES

Suitable Extinguishing media:

Specific Hazards: Protective Equipment and Precautions:

Dry Chemical, water spray, foam, carbon dioxide Materials can splatter above 212 °F / 100 °C No special fire fighting procedures recommended

No special fire fighting procedures recommended. Follow all general fire safety guidelines.



Conforms to 1910.1200 Issued: Dec. 19, 2019

ATLAS™

6: ACCIDENTAL RELEAS	E MEASURES		
Personal Precautions:	Put on personal protective equipment (see Section 8). Keep spectators away. Floo may be slippery: use care to avoid falling.		
Environment Precautions:	Keep spills and cleaning run-off out of sewers and open bodies of water.		
CONTAINMENT AND CLEA	N-UP		
Small Spills:	Absorb spill with inert material (e.g. sand, earth) and dispose of as waste material in accordance with local, state and federal regulations.		
Large Spills:	Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.		
Waste Disposal:	Landfill or incinerate the contaminated solids and diking material in accordance with local, state and federal regulations. Non-salvageable liquid should be drummed and disposed of in accordance with local, state and federal regulations.		
7: HANDLING AND STOR	AGE		
Precautions for Safe Hand	ling: Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well- ventilated areas.		
Conditions for Safe Storag	e: Storage temperature (Max. 60°C/140°F - Min. 1°C/34°F).		
Other Information:	Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.		

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

		ACGIH		OSHA	
Ingredient	CAS Number	TWA	STEL	TWA	STEL
(2-Methoxymethylethoxy)-propanol	34590-94-8	100 ppm	150 ppm	100 ppm	N/E
[dipropylene glycol methyl ether]	54590-94-0	(skin)	(skin)	(skin)	

Engineering Controls:	Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.
Personal Protective Equip	oment (PPE)
Eye/Face Protection:	Safety eyewear is recommended, to avoid chemical splashes and mists.
Skin Protection:	Chemical resistant gloves are recommended.
Respiratory Protection:	Personal protective equipment not required with normal use and with adequate ventilation. General room ventilation should be adequate. Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator.
Hygiene Measures:	Handle in accordance with good industrial hygiene and safety practice.

9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	milky, white liquid
Odor:	mild odor
Odor Threshold:	data not available
pH:	8.0
Freezing Point:	data not available
Boiling Point:	data not available
Flash Point:	>200 °F / >93 °C
Evaporation Rate:	less than water



SAFETY DATA SHEET **READY TO USE**

Conforms to 1910.1200 Issued: Dec. 19, 2019

ATLAS™

None known

None known

Flammability (solid/gas):	not applicable to liquids
Upper/Lower Flammability limits:	data not available
Vapor Pressure:	data not available
Vapor Density:	data not available
Relative Density:	8.5 lb/gal @ 68ºF / 1.02 kg/l @ 20ºC
Solubility:	miscible in water
Partition Coefficient:	data not available
Auto Ignition temperature:	data not available
Decomposition Temperature:	data not available
Viscosity:	< 10 centipoise @ 68 ºF (20 ºC)
VOC:	0.25%

10: STABILITY AND REACTIVITY

Reactivity:	Not reactive under normal conditions		
Stability:	Stable under normal conditions		
Hazardous reactions:	None known		
Conditions to avoid:	None known		
Incompatible materials:	Do not mix with other chemicals unless stated on the product label.		
Hazardous decomposition products: None known			

11: TOXICOLOGICAL INFORMATION

Acute Toxicity: ATE _{mix} (oral): ATE _{mix} (dermal): ATE _{mix} (inhalation):	Toxicity testing has not been completed > 2000 mg/kg > 2000 mg/kg > 20 mg/l (4 hr/vapour)	d on the mixture.	
LOCAL EFFECTS Skin contact: Eye contact:	May cause mild irritation. May cause mild irritation.	<u>SPECIFIC EFFECTS</u> Carcinogenicity: Reproductive effects:	None known None known

Skin contact:	May cause mild irritation.
Eye contact:	May cause mild irritation.
Sensitization:	None expected
Chronic effects:	None expected

COMPONENT INFORMATION

Component	LD50 Oral- Rat (mg/kg)	LD50 Dermal - Rabbit (µl/kg)	LC₅₀ Inhalation- Rat (mg/m³)
diethylene glycol monoethyl ether	1920	4200	>5240
dipropylene glycol methyl ether	5230	9500	N/A

Teratogenicity:

Mutagenicity:

Carcinogenicity:

	AS# IAR	C
sodium o-phenylphenate 132	2-27-4 2B	

12: ECOLOGICAL INFORMATION	
Ecotoxicity:	Ecological testing has not been completed on the mixture.
Persistence and Degradability:	Data not available.
Bioaccumulative Potential:	Data not available.
Mobility in Soil:	Data not available.
Other Adverse Effects:	Data not available.
13: DISPOSAL CONSIDERATIONS	

Disposal of this material should be in accordance with local, regional and national regulations.



SAFETY DATA SHEET **READY TO USE**

Conforms to 1910.1200 Issued: Dec. 19, 2019

ATLAS™

14: TRANSPORT INFORMATION

This product is not classified as hazardous for transportation.

UN Number:	None
UN Proper Shipping Name:	None
Hazard Class: None	None
Packing Group:	None
Marine Pollutant:	None
Transport in Bulk:	N/A
Other Information:	None

15: REGULATORY INFORMATION

U.S. REGULATIONS/REPORTING:

		SARA		
Ingredient	CAS Number	302/304	SARA 313	CERCLA
diethylene glycol monoethyl ether	111-90-0	N/L	present*	***

STATE RIGHT-TO-KNOW STATUS:

Ingredient	CAS Number	MA - RTK	NJ - RTK	PA - RTK	RI - RTK
diethylene glycol monoethyl ether	111-90-0	N/L	N/L	present*	N/L
dipropylene glycol methyl ether	34590-94-8	present	present	present	present

CALIFORNIA PROPOSITION 65:

WARNING: This product can expose you to Sodium o-phenylphenate, which is known to the State of California to cause cancer For more information go to www.P65Warnings.ca.gov.

Ingredient	CAS Number	Weight %
Sodium o-phenylphenate	132-27-4	< 0.1%

CANADA REGULATIONS/REPORTING: This product has been classified in accordance with the hazard criteria of the Hazardous Product Regulation (HPR) and the SDS contains the information required by the HPR.


16: OTHER INFORMATION

Abbreviations Used:

N/A - Not applicable N/E - Not Established N/L - Not Listed IARC 2B - Possibly carcinogenic to humans * - listed as generic class Glycol Ethers *** - No RQ assigned, although a CERCLA hazardous substance

Revision Information:

- SDS issue Dec. 19, 2019





Conforms to 1910.1200 Issued: Dec. 19, 2019

ATLAS™

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.

This SDS has been provided to you in accordance with the OSHA Hazard Communication Standard (29CFR1910.1200).

IMPORTANT SAFETY INFORMATIONDO NOT DISCARD**PLEASE ROUTE TO COMPANY SAFETY OFFICER*'