

Supersedes: May 3. 2016

RECLAIM™ HARD FLOOR CLEANER AND MAINTAINER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product Name:

Pionee

Reclaim Hard Floor Cleaner & Maintainer

Product Number: 354

1.2 RELEVENT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.Intended Use:Water based floor finish maintainerUses Advised Against:Other than per labelled instructions.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer:

Amano Pioneer Eclipse Corporation P.O. Box 909 1 Eclipse Road Sparta, NC 28675 Telephone: 1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE MIXTURE

This mixture has been classified according to EC 1272/2008. Not classified as hazardous.

2.2 LABEL ELEMENTS

2.2 LABEL ELEMENTS

Signal Word:	None
Hazard pictogram(s):	None
Hazard Statement(s):	None
Precautionary Statement(s):	None

2.3 OTHER HAZARDS No other hazards are known to the supplier

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1/3.2 SUBSTANCES/MIXTURES

		Weight %	CAS No.	Classification	
Ingredient	EC No.			Hazard Class	Hazard Statement(s)*
Polyoxyethylene tridecyl ether phosphate	618-558-4	1 - 2	9046-01-9	EyeDamage 1 Skin Irrit 2 AquaChrnic 2	H318 H315 H411

SECTION 4: FIRST AID MEASURES

4.1 DECRIPTION OF FIRST AID MEASURES

Eye Contact:	Rinse with plenty of water. If irritation develops and persists, seek medical attention.
Skin Contact:	Wash with plenty of water. If irritation develops and persists, seek medical attention.
Inhalation:	If breathing is difficult, remove to fresh air. If symptoms persist, seek medical attention.
Ingestion:	If ingested, do not induce vomiting. Seek medical attention.



lssued: Oct. 3, 2019 Supersedes: May 3. 2016

RECLAIM™ HARD FLOOR CLEANER AND MAINTAINER

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

This mixture is not expected to produce significant adverse health effects when recommended use instructions are followed.

Eye Contact:	None expected under normal use.
Skin Contact:	None expected under normal use.
Inhalation:	None expected under normal use.
Ingestion:	None expected under normal use.

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED No information available.

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

In case of fire: use dry chemical, water spray, foam, carbon dioxide.

5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE

Hazardous combustion products: CO, CO_2 During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include but not limited to the above mentioned substances.

5.3 ADVICE FOR FIRE FIGHTERS

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents. Materials can splatter above 100°C/212°F.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Refer to Section 8 for appropriate personal protective equipment.

6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and open bodies of water.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Neutralize spill area. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

6.4 REFERENCE TO OTHER SECTIONS: Refer to Section 8 of the SDS.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well-ventilated areas.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

7.3 SPECIFIC END USE(S): No information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Components do not have established work exposure limits.



lssued: Oct. 3, 2019 Supersedes: May 3. 2016

RECLAIM™ HARD FLOOR CLEANER AND MAINTAINER

8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.

Environmental exposure controls: No specific environmental exposure controls known.

Personal Protective Equ	uipment (PPE)
Eye/Face Protection:	Safety eyewear is recommended, to avoid chemical splashes and mists.
	Safety glasses or goggles (EN166).
Hand Protection:	Chemical resistant gloves are recommended. (EN374).
	Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure to other substances.
Skin Protection:	If major exposure is possible, wear suitable protection such as rubber boots, apron, etc.
Respiratory Protection:	Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-purpose combination filter. (E.g EN 14387- ABEK)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

	Appearance:	green liquid	
	Odor:	lemon-lime fragrance	
	Odor Threshold:	No test data available	
	pH:	9.0	[Method: ASTM E 70]
	Freezing Point:	No test data available	
	Initial boiling point/boiling range:	No test data available	
	Flash Point:	> 93°C	[Method: Closed cup, ASTM D 56]
	Evaporation Rate:	No test data available	
	Flammability (solid, gas)	Not applicable to liquids	
	Upper/lower flammability/explosive limits:	No test data available	
	Vapor Pressure:	No test data available	
	Vapor Density:	No test data available	
	Relative Density:	1.0 kg/L @ 20°C	[Method: Pycnometer, ASTM D 1475]
	Solubility:	miscible in water	
	Partition Coefficient (n-octanol/water):	No test data available	
	Auto Ignition temperature:	No test data available	
	Decomposition Temperature:	No test data available	
	Viscosity:	< 10 centipoise @ 20°C	[Method: Rotational viscometer, Brookfield]
	Explosive Properties:	None	
	Oxidizing properties:	None	
9.2	OTHER INFORMATION		
	VOC:	0%	
SECT	ION 10: STABILITY AND REACTIVITY		
SECI	ION 10. STABILITY AND REACTIVITY		
10.1	REACTIVITY:	None known	
10.2	CHEMICAL STABILITY:	Stable under normal cond	litions.
10.3	POSSIBILITY OF HAZARDOUS REACTIONS:	None known	
10.4	CONDITIONS TO AVOID:	None known	
10.5	INCOMPATIBLE MATERIALS:	Do not mix with other cher	micals unless stated on the product label.
10.6	HAZARDOUS DECOMPOSITION PRODUCTS:	None known	

lssued: Oct. 3, 2019 Supersedes: May 3. 2016



RECLAIM™ HARD FLOOR CLEANER AND MAINTAINER

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

ACUTE TOXICITY:

ATE _{mix} (oral):	> 2000 mg/kg
ATE _{mix} (dermal):	> 2000 mg/kg
ATE mix (inhalation):	> 20 mg/l (4 hr/vapour)

Toxicity testing has not been completed on the mixture. Based on available data, the classification criteria are not met.

Component	CAS #	LD50 Oral- Rat (mg/kg)	LD50 Dermal - Rabbit (mg/kg)	LC₅₀ Inhalation- Rat (mg/l)
Polyoxyethylene tridecyl ether phosphate	9046-01-9	> 2000	no data available	no data available
SKIN CORROSION/IRRITATION:		Based on available data, the classification criteria are not met.		are not met.
SERIOUS EYE DAMAGE/IRRITATI	ON:	Classified as Eye Irritation - Category 2 Causes serious eye irritation.		
RESPIRATORY OR SKIN SENSITIZ	ZATION:	Based on available data, the classification criteria are not met.		
GERM CELL MUTAGENICITY:		Based on available data, the classification criteria are not met.		
CARCINOGENICITY:		Based on available data, the classification criteria are not met.		
REPRODUCTIVE TOXICITY:		Based on available data, the classification criteria are not met.		are not met.
STOT-SINGLE EXPOSURE:		Based on available data, the classification criteria are not met.		are not met.
STOT-REPEATED EXPSURE:		Based on available data, the classification criteria are not met.		are not met.
ASPIRATION HAZARD:		Based on available data, the classification criteria are not met.		

11.2 POTENTIAL ADVERSE HEALTH EFFECTS

Effects and symptoms related to this mixture, if any, are listed in Section 4.2.

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY: Ecological testing has not been completed on the mixture.

Component	CAS #	LC50 -96 hr	EC50 - 48 hr	LC50
Polyoxyethylene tridecyl ether phosphate	9046-01-9	data not available	data not available	data not available

12.2 PERSISTANCE AND DEGRADABILITY:

Component CAS #

Component	CAS#	Biodegradation
Polyoxyethylene tridecyl ether phosphate	9046-01-9	ultimately

12.3 BIOACCUMULATIVE POTENTIAL:

Testing has not been completed on the mixture.

Testing has not been completed on the mixture.

Testing has not been completed on the mixture.

Component	CAS #	Partition coefficient n- octanol/water (Log Kow)	Bioconcentration factor (BCF)
Polyoxyethylene tridecyl ether phosphate	9046-01-9	Not applicable	data not available

12.4 MOBILITY IN SOIL:

Component	CAS #	Soil Organic Carbon- Water Partitioning Coefficient (Koc)
Polyoxyethylene tridecyl ether phosphate	9046-01-9	data not available

12.5 RESULTS OF PBT AND vPvB ASSESSMENT: Not applicable

12.6 OTHER ADVERSE EFFECTS:

12.7 ADDITIONAL INORMATION:

None known

Classification criteria, for environmental hazards, are not met.

lssued: Oct. 3, 2019 Supersedes: May 3. 2016



RECLAIM™ HARD FLOOR CLEANER AND MAINTAINER

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal of this material should be in accordance with local, regional and national regulations.

None

SECTION 14: TRANSPORT INFORMATION

Product is not classified as hazardous for transport regulations.

- 14.1 UN NUMBER:
- 14.2 UN PROPER SHIPPING NAME: None
- 14.3 TRANSPORT HAZARD CLASSES: None
- 14.4 PACKING GROUP: None
- 14.5 ENVIRONMENTAL HAZARDS: None
- 14.6 SPECIAL PRECAUTIONS: None

14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MAPROL73/78 AND THE IBC CODE: N/A

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE

Ingredients are included in the EINECS/ELINCS/NLP inventories.

15.2	CHEMICAL SAFETY ASSESSMENT:	No information available.
------	-----------------------------	---------------------------

SECTION 16: OTHER INFORMATION

REVISION INFORMATION:

Oct. 3, 2019 - Revisions § 2, 13, 15, 16

ABBREVIATIONS:

- N/A Not applicable
- N/E Not Established
- N/L Not Listed

FULL TEXT OF HAZARD STATEMENTS:

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H411 Toxic to aquatic life with long lasting effects.

ISSUED BY:

Chemical/R&D Department Amano Pioneer Eclipse Corporation