

Conforms to 1910.1200 Issued: May 25, 2016 Supersedes: May 15, 2015

# **ECLIPSE™ HEAVY DUTY DEGREASER**

1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Eclipse Heavy Duty Degreaser Product Number: 396DTC

Recommended Use: Industrial strength degreaser
Concentrate - dilute prior to use.

Product intended for commercial and industrial use only.

<u>Uses Advised Against:</u> Other than per labelled instructions

**Manufacturer Address:** 

Amano Pioneer Eclipse Corporation

P.O. Box 909 1 Eclipse Road Sparta, NC 28675

Telephone: 1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

FOR CHEMICAL EMERGENCY: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

# 2: HAZARDS IDENTIFICATION

**Classification:** Skin Corrosion - Category 1

Eye Damage - Category 1

Signal Word: DANGER

Pictogram:



#### **Hazard Statements:**

Causes severe skin burns and eye damage.

Causes serious eve damage.

#### **Precautionary Statements:**

Do not breathe mist/vapours/spray.

Wash thoroughly after handling.

Wear protective gloves and eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician if you feel unwell.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container according to local, regional and national regulations.

Other Hazards: None known

Supplemental Information: None known

#### 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient          | CAS Number | Weight % * |
|---------------------|------------|------------|
| 2- butoxyethanol    | 111-76-2   | 3 - 7      |
| sodium carbonate    | 497-19-8   | 1 - 5      |
| sodium metasilicate | 6834-92-0  | 1 - 5      |
| sodium hydroxide    | 1310-73-2  | 1 - 5      |

<sup>\*</sup> Exact concentration of the ingredients has been withheld as a trade secret.



Conforms to 1910.1200 Issued: May 25, 2016 Supersedes: May 15, 2015

# **ECLIPSE™ HEAVY DUTY DEGREASER**

#### 4: FIRST AID MEASURES

#### **DECRIPTION OF FIRST AID MEASURES**

Eye Contact: In case of contact, immediately flush eye with plenty of water for at least 15 minutes. (If easy to do, remove

contact lenses, if worn). Seek medical attention.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Seek medical attention.

Inhalation: If breathing is difficult. Remove subject to fresh air. Seek medical attention immediately.

Ingestion: Call a physician or poison control center. Do not induce vomiting. Seek medical advice immediately.

#### MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye Contact: Causes eye burns. Skin Contact: Causes skin burns.

Inhalation: Harmful if inhaled. May cause irritation and corrosive effects to nose, throat and respiratory tract.

**Ingestion:** Harmful if swallowed. May cause burns to mouth, throat and stomach.

#### INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

#### 5: FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing media:</u> Water spray, CO<sub>2,</sub> dry chemical, alcohol-type or universal type foams

**Specific Hazards:** Corrosive liquid. (See Sections 8 and 10.) Do not spray a solid stream of water or foam

directly in hot liquid. This may cause frothing.

<u>Protective Equipment and Precautions:</u> Fire fighters should wear NIOSH approved breathing apparatus. Materials

can splatter above 100° C / 212° F

# 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Put on personal protective equipment (see Section 8). Keep spectators away. Floors

may be slippery: use care to avoid falling.

**Environment Precautions:** Keep spills and cleaning run-off out of sewers and open bodies of water.

## CONTAINMENT AND CLEAN-UP

Small Spills: Absorb spill with inert material (e.g. sand, earth) and dispose of as waste material in accordance

with local, state and federal regulations.

Large Spills: Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery

or disposal and solid diking material to separate containers for disposal.

Waste Disposal: Landfill or incinerate the contaminated solids and diking material in accordance with local, state and

federal regulations. Non-salvageable liquid should be drummed and disposed of in accordance with

local, state and federal regulations.

#### 7: HANDLING AND STORAGE

<u>Precautions for Safe Handling:</u> Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Use only

in well-ventilated areas. Avoid breathing vapors or mists. Remove and wash

contaminated clothing and footwear before re-use.

Conditions for Safe Storage: Storage temperature (Max. 60°C/140°F - Min. 1°C/34°F)

<u>Other Information:</u> Keep from freezing. Keep container sealed when not in use. Keep out of reach of

children.

#### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Limits:**

|                  |            | ACGIH        |                 | os            | OSHA |  |
|------------------|------------|--------------|-----------------|---------------|------|--|
| Ingredient       | CAS Number | TWA          | STEL            | TWA           | STEL |  |
| 2-butoxyethanol  | 111-76-2   | 20 ppm (BEI) | NL              | 50 ppm (skin) | NL   |  |
| sodium hydroxide | 1310-73-2  | NL           | 2 ppm (ceiling) | 2 ppm         | NL   |  |



Conforms to 1910.1200 Issued: May 25, 2016 Supersedes: May 15, 2015

# ECLIPSE™ HEAVY DUTY DEGREASER

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain

airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness

of ventilation and other control measures.

**Personal Protective Equipment (PPE)** 

Eye/Face Protection: Safety eyewear is recommended, to avoid chemical splashes and mists.

**Skin Protection:** Chemical resistant gloves are recommended.

**Respiratory Protection:** Respiratory protection should be worn when there is a potential of inadequate ventilation. If

exposure limits are exceeded or symptoms are experienced, use an approved respirator.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety practice.

## 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** clear, dark purple liquid

Odor: sassafras

Odor Threshold: data not available

**pH:** 12.5

Freezing Point:data not availableBoiling Point:data not availableFlash Point:>200°F / >93°CEvaporation Rate:less than water

Flammability (solid/gas): not applicable to liquids
Flammability limits: data not available
Vapor Pressure: data not available
Vapor Density: data not available

**Relative Density:** 8.9 lb/gal @ 68°F / 1.07 kg/l @ 20°C

Solubility: miscible in water
Partition Coefficient: data not available
Auto Ignition temperature: data not available
Decomposition Temperature: data not available

Viscosity: < 5 centipoise @ 68°F (20°C)

**VOC:** 5% (as supplied), 1.04% (1:4), 0.58% (1:8), 0.16% (1:16), 0.08% (1:32)

### 10: STABILITY AND REACTIVITY

Reactivity:Not reactive under normal conditions.Stability:Stable under normal conditions.

Hazardous reactions: Adding water directly to the product may generate heat and cause product to splash. To avoid

adverse reaction, always add product to water, do not add water to product.

**SPECIFIC EFFECTS** 

Conditions to avoid: Improper order of dilution

Incompatible materials: Strong acids and oxidizing agents. Do not mix with other chemicals unless stated on the product

label.

Hazardous decomposition products: carbon monoxide, carbon dioxide and nitrogen oxides

### 11: TOXICOLOGICAL INFORMATION

Acute Toxicity: Not determined on product.

**LOCAL EFFECTS** 

Skin contact: Corrosive Carcinogenicity: None known Corrosive Reproductive effects: None known Eve contact: Sensitization: None expected Teratogenicity: None known Chronic effects: None expected Mutagenicity: None known



Conforms to 1910.1200 Issued: May 25, 2016 Supersedes: May 15, 2015

# **ECLIPSE™ HEAVY DUTY DEGREASER**

# **COMPONENT INFORMATION**

| Component           | LD50 Oral-<br>Rat (mg/kg) | LD50 Dermal -<br>Rabbit (mg/kg) | LC <sub>50</sub> Inhalation-<br>Rat (mg/l) |
|---------------------|---------------------------|---------------------------------|--|
| 2- butoxyethanol    | 470                       | 220                             | 2.2 (4 hr)                                 |
| sodium carbonate    | 4090                      | 2210 (mouse)                    | N/A  |
| sodium metasilicate | 1500                      | N/A                             | 2.3 (2 hr)                                 |
| sodium hydroxide    | 220 (50% solution)        | 1350                            | N/A  |

#### Carcinogenicity:

| Component        | IARC   | NTP | OSHA |  |
|------------------|--------|-----|------|--|
| 2- butoxyethanol | IARC 3 | N/L | N/L  |  |

# 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** Ecological testing has not been completed on the mixture.

Persistence and Degradability:Data not available.Bioaccumulative Potential:Data not available.Mobility in Soil:Data not available.Other Adverse Effects:Data not available.

# 13: DISPOSAL CONSIDERATIONS

Disposal of this material should be in accordance with local, regional and national regulations.

### 14: TRANSPORT INFORMATION

UN Number: UN1760

<u>UN Proper Shipping Name:</u> Corrosive liquid, n.o.s. (disodium trioxosilicate)

Hazard Class:8Packing Group:IIMarine Pollutant:NoneTransport in Bulk:N/A

<u>Other Information:</u> Package volumes <1 L each are shipped as Limited Quantity; as permitted by hazard

class and quantity exemption.

### 15: REGULATORY INFORMATION

# U.S. REGULATIONS/REPORTING:

|                  |            | SARA    |          |            |
|------------------|------------|---------|----------|------------|
| Ingredient       | CAS Number | 302/304 | SARA 313 | CERCLA     |
| 2- butoxyethanol | 111-76-2   | N/L     | 0.01     | N/L        |
| sodium hydroxide | 1310-73-2  | N/L     | N/L      | 1000 lb RQ |

# **STATE RIGHT-TO-KNOW STATUS:**

| Ingredient       | CAS Number | MA - RTK | NJ - RTK | PA - RTK | RI - RTK |
|------------------|------------|----------|----------|----------|----------|
| 2- butoxyethanol | 111-76-2   | present  | present  | present  | present  |
| sodium hydroxide | 1310-73-2  | present  | present  | present  | present  |

CALIFORNIA PROPOSITION 65: Components are not present on CA Prop 65 listing.

CANADA REGULATIONS/REPORTING: This product has been classified in accordance with the hazard criteria of the

Hazardous Product Regulation (HPR) and the SDS contains the information required

by the HPR.

# 16: OTHER INFORMATION

#### **Abbreviations Used:**

N/A - Not applicable N/E - Not Established

N/L - Not Listed




Conforms to 1910.1200 Issued: May 25, 2016 Supersedes: May 15, 2015

# ECLIPSE™ HEAVY DUTY DEGREASER

IARC 3- Unclassifiable as to carcinogenicity in humans

#### **Revision Information:**

May 25, 2016 - Logo change, email address, minor edits



Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.

This SDS has been provided to you in accordance with the OSHA Hazard Communication Standard (29CFR1910.1200).

\*\*IMPORTANT SAFETY INFORMATION\*\*DO NOT DISCARD\*\*PLEASE ROUTE TO COMPANY SAFETY OFFICER\*\*