



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 27-Dec-2022

Supersedes: 20-Oct-2020

ECLIPSE™ CERAMIC GROUT SEALER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product Name: Eclipse Ceramic Grout Sealer

Product Number: 460C

1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.

Intended Use: Water-based grout sealer. Ready to use.

Uses Advised Against: Other than per labelled instructions.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer:

Amano Pioneer Eclipse Corporation

P.O. Box 909

1 Eclipse Road

Sparta, NC 28675

Telephone: +1-336-372-8080

Email: sds@pioneereclipse.com

Internet: www.pioneereclipse.com

1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night.

Within USA and Canada 1-800-424-9300. Outside USA and Canada +1-703-527-3887 (collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE MIXTURE

This mixture has been classified according to EC 1272/2008.

CLP Classification: Not classified as hazardous.

2.2 LABEL ELEMENTS

Signal Word: None

Hazard pictogram(s): None

Hazard Statement(s): None

Precautionary Statement(s): None

2.3 OTHER HAZARDS No other hazards are known to the supplier.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1/3.2 SUBSTANCES/MIXTURES

This mixture does not contain hazardous ingredients; as determined by EC 1272/2008.

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

Eye Contact: Rinse with plenty of water. If irritation develops and persists, seek medical attention.

Skin Contact: Wash with plenty of water. If irritation develops and persists, seek medical attention.

Inhalation: If breathing is difficult, remove to fresh air. If symptoms persist, seek medical attention.

Ingestion: If ingested, do not induce vomiting. Seek medical attention.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

This mixture is not expected to produce significant adverse health effects when recommended use instructions are followed.

Eye Contact: None expected under normal use.

Skin Contact: None expected under normal use.

Inhalation: None expected under normal use.

Ingestion: None expected under normal use.



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 27-Dec-2022

Supersedes: 20-Oct-2020

ECLIPSE™ CERAMIC GROUT SEALER

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

In case of fire: Use Dry chemical. Carbon dioxide (CO₂). Water spray fog). Alcohol resistant foam.

5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE

Hazardous combustion products: CO, CO₂

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include but not limited to the above mentioned substances.

5.3 ADVICE FOR FIRE FIGHTERS

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents. Materials can splatter above 100°C/212°F.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Refer to Section 8 for appropriate personal protective equipment.

6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and open bodies of water.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Neutralize spill area. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

6.4 REFERENCE TO OTHER SECTIONS: Refer to Section 8 of the SDS.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes and skin. Wash thoroughly after handling. Avoid breathing vapours, mist and sprays. Use in well-ventilated areas.

Airless spray or low pressure spray equipment should be utilized during spray operations, where possible. Avoid prolonged spraying.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children. Do not mix with other chemicals unless stated on the product label.

7.3 SPECIFIC END USE(S): No information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Occupational Exposure Limits: None

8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 27-Dec-2022

Supersedes: 20-Oct-2020

ECLIPSE™ CERAMIC GROUT SEALER

Environmental exposure controls:	No specific environmental exposure controls known.
Personal Protective Equipment (PPE)	
Eye/Face Protection:	Safety eyewear is recommended to avoid chemical splashes and mists. Safety glasses or goggles (EN166).
Hand Protection:	Chemical resistant gloves are recommended. (EN374). Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure to other substances.
Skin Protection:	No protection required with normal use. If major exposure is possible wear suitable protection.
Respiratory Protection:	Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-purpose combination filter. (E.g. - EN 14387- ABEK)
Hygiene Measures:	Do not eat, drink or smoke when using this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	clear, straw colored
Odour:	no added fragrance
Melting point/Freezing point:	No test data available
Boiling point/Boiling range:	No test data available
Flammability:	Does not maintain combustion.
Lower and upper explosion limits:	No test data available
Flash Point:	> 93 °C [Method: Closed cup, ASTM D 56]
Auto-ignition temperature:	No test data available
Decomposition temperature:	No test data available
pH:	9.6 (as supplied) [Method: ASTM E 70]
Kinematic viscosity:	< 10 centipoise @ 20°C [Method: Rotational viscometer, Brookfield]
Solubility:	Water, completely soluble
Partition coefficient n-octanol/water [log Pow]:	No test data available
Vapor pressure:	No test data available
Density:	1.01 kg/L @ 20°C [Method: Pycnometer, ASTM D 1475]
Relative vapor density:	No test data available
Particle characteristics:	Not applicable to liquids

9.2 OTHER INFORMATION

9.2.1 - Information with regard to physical hazard class:

Oxidising properties:	Not established
Explosive properties:	Not established

9.2.2 - Other safety characteristics:

Relative evaporation rate (butylacetate=1):	No test data available
VOC:	< 50 g/L

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY:	Not reactive under normal conditions.
10.2 CHEMICAL STABILITY:	Stable under normal conditions.
10.3 POSSIBILITY OF HAZARDOUS REACTIONS:	None expected under normal conditions.
10.4 CONDITIONS TO AVOID:	None known under normal conditions.
10.5 INCOMPATIBLE MATERIALS:	Strong oxidizing agents Do not mix with other chemicals unless stated on the product label.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS:	None known



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 27-Dec-2022

Supersedes: 20-Oct-2020

ECLIPSE™ CERAMIC GROUT SEALER

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) 1272/2008

ACUTE TOXICITY:	Toxicity testing has not been completed on the mixture.	
ATE_{mix} (oral):	> 2000 mg/kg	Not classified as Acutely Toxic (oral).
ATE_{mix} (dermal):	> 2000 mg/kg	Not classified as Acutely Toxic (dermal).
ATE_{mix} (inhalation):	> 20 mg/l (4 hr/vapour)	Not classified as Acutely Toxic (inhalation).
SKIN CORROSION/IRRITATION:	Based on available data, the classification criteria are not met.	
SERIOUS EYE DAMAGE/IRRITATION:	Based on available data, the classification criteria are not met.	
RESPIRATORY OR SKIN SENSITIZATION:	Based on available data, the classification criteria are not met.	
GERM CELL MUTAGENICITY:	Based on available data, the classification criteria are not met.	
CARCINOGENICITY:	Based on available data, the classification criteria are not met.	
REPRODUCTIVE TOXICITY:	Based on available data, the classification criteria are not met.	
STOT-SINGLE EXPOSURE:	Based on available data, the classification criteria are not met.	
STOT-REPEATED EXPSURE:	Based on available data, the classification criteria are not met.	
ASPIRATION HAZARD:	Based on available data, the classification criteria are not met.	

11.2 INFORMATION ON OTHER HAZARDS

11.2.1 Endocrine disrupting properties:	None known
11.2.2 Other information:	Effects and symptoms related to this mixture, if any, are listed in Section 4.2

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY:	Ecological testing has not been completed on the mixture. Based on available data, this product is not classified as hazardous to the environment.
12.2 PERSISTANCE AND DEGRADABILITY:	No data available.
12.3 BIOACCUMULATIVE POTENTIAL:	No data available.
12.4 MOBILITY IN SOIL:	No data available.
12.5 RESULTS OF PBT AND vPvB ASSESSMENT:	Not applicable.
12.6 ENDOCRINE DISRUPTING PROPERTIES:	None known
12.7 OTHER ADVERSE EFFECTS:	No additional information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal of this material should be in accordance with local, regional and national regulations.
EU Waste Catalogue: 16 03 06 Organic wastes other than those mention in 16 03 05*

SECTION 14: TRANSPORT INFORMATION

Product is not regulated as hazardous for transport.

14.1 UN NUMBER:	None	
14.2 UN PROPER SHIPPING NAME:	None	
14.3 TRANSPORT HAZARD CLASSES:	None	
14.4 PACKING GROUP:	None	
14.5 ENVIRONMENTAL HAZARDS:	None	
14.6 SPECIAL PRECAUTIONS:	None	
14.7 MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS:		Product is not transported in bulk.



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 27-Dec-2022

Supersedes: 20-Oct-2020

ECLIPSE™ CERAMIC GROUT SEALER

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE

Does not contain substances or labelled product uses subject to REACH Annex XVII restriction.

See Annex XVII of Regulation (EC) 1907/2006 for Designation of the substances and Conditions of restriction.

Contains no substance on the REACH candidate list $\geq 0,1$ % / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to EU 649/2012

Contains no substance subject to EU 2019/1021

15.2 CHEMICAL SAFETY ASSESSMENT: No information available.

SECTION 16: OTHER INFORMATION

REVISION INFORMATION:

27-Dec-2022 - Revisions per (EU) 2020/878; § 8, 9, 10, 11, 12, 14, 15 & 16

ABBREVIATIONS:

ATE	Acute Toxicity Estimate
CAS No.	Chemical Abstract Service Number
CLP	Classification Labeling Packaging Regulation (EC) 1272/2008
EC50	Median Effective Concentration.
EC No.	European Union Identification Number
IMO	International Maritime Organization
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation, (EC) 1907/2006
SDS	Safety Data Sheet
STEL	Short-Term Exposure Limit
TWA	Time Weighted Average
UFI	Unique Formula Identifier
UN	United Nations
VOC	Volatile Organic Compound
vPvB	Very Persistent and Very Bioaccumulative

FULL TEXT OF HAZARD STATEMENTS:

None

FULL TEXT OF PRECAUTIONARY STATEMENTS:

Safety data sheet available on request.

ISSUED BY:

Chemical/R&D Department
Amano Pioneer Eclipse Corporation

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.