

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 17-May-2024 Supersedes: 22-Sep-2016

503

# FORMULA X™ UHP

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER

Product Name: Formula X UHP - Ultra High Performance Stripper Product Number:

UFI: FHDX-KEUV-A10J-Y7RC

## 1.2 RELEVENT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.

Intended Use: Floor Finish remover concentrate
Uses Advised Against: Other than per labelled instructions.

# 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

#### Manufacturer:

Amano Pioneer Eclipse Corporation

P.O. Box 909 1 Eclipse Road Sparta, NC 28675

Telephone: 1-336-372-8080 Email: sds@pioneereclipse.com Internet: www.pioneereclipse.com

#### 1.4 EMERGENCY TELEPHONE NUMBER

**For Chemical Emergency:** Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night. Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 CLASSIFICATION OF THE MIXTURE

This mixture has been classified according to EC 1272/2008.

Acute Toxicity (Inhalation) - Category 4

Eye Damage - Category 1 Skin Corrosion - Category 1B

Specific Target Organ Toxicity (Single Exposure) - Category 3

# 2.2 LABEL ELEMENTS

Signal Word: Danger

Hazard pictogram(s):





# Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

## Precautionary Statement(s):

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection.
P310 Immediately call a POISON CENTER/doctor if you feel unwell.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

# 2.3 OTHER HAZARDS No other hazards are known to the supplier



Conforms to 1907/2006/EC - (EU) 2020/878

lssued: 17-May-2024 Supersedes: 22-Sep-2016

FORMULA X™ UHP

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1/3.2 SUBSTANCES/MIXTURES

			CAS No.	Classification	
Ingredient EC No.	EC No.	Weight %		Hazard Class	Hazard Statement(s)*
ethylene glycol monobutyl ether	203-905-0	10 - 30	111-76-2	Acute Tox 3	H331
				Acute Tox 4	H302
				Eye Irrit 2	H319
				Skin Irrit 2	H315
				Acute Tox 4	H302,H312,H332
ethanolamine	205-483-3	5 - 10	141-43-5	Skin Corr 1B	H314
				STOT SE 3	H335
propylene glycol monobutyl ether	225-878-4	5- 10	5131-66-8	Eye Irrit 2	H319
	223-070-4	5- 10	3131-00-6	Skin Irrit 2	H315

<sup>\*</sup>See section 16 for the full text of Hazard Statements

Ingredient	EC No.	CAS No.	Specific Concentration Limits ATE**
ethylene glycol monobutyl ether	203-905-0	111-76-2	ATE (oral) = 1200 mg/kg ATE (inhalation) = 3 mg/L (vapours)
ethanolamine	205-483-3	141-43-5	(5 ≤C≤ 100) STOT SE 3, H335

## **SECTION 4: FIRST AID MEASURES**

#### 4.1 DESCRIPTION OF FIRST AID MEASURES

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Skin Contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Seek medical

attention.

**Inhalation:** If breathing is difficult: Remove person to fresh air and keep comfortable for breathing. Seek medical

attention immediately.

Ingestion: Rinse mouth. Immediately call a POISON CENTER or doctor. DO NOT induce vomiting unless

directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

**Eye Contact:** Can cause serious eye damage. May cause permanent damage. **Skin Contact:** Can cause severe skin burns. May cause permanent damage.

Inhalation: Harmful if inhaled. May cause respiratory irritation.
Ingestion: May cause burns to mouth, throat and stomach.

## 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No information available.

#### SECTION 5: FIRE FIGHTING MEASURES

# 5.1 EXTINGUISHING MEDIA

In case of fire: use dry chemical, water spray, foam, carbon dioxide

## 5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE

Hazardous combustion products: CO, CO<sub>2</sub>, Nitrogen oxides

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include but not limited to the above mentioned substances.

# 5.3 ADVICE FOR FIRE FIGHTERS

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents. Materials can splatter above 100°C/212°F. Corrosive material.



Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 17-May-2024 Supersedes: 22-Sep-2016

FORMULA X™ UHP

## SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES Refer to Section 8 for appropriate personal protective equipment.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and open bodies of water.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Neutralize spill area. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

**6.4 REFERENCE TO OTHER SECTIONS:** Refer to Section 8 of the SDS.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Use only in well-ventilated areas. Avoid breathing vapours or spray mists. Remove and wash contaminated clothing and footwear before reuse.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

7.3 SPECIFIC END USE(S): No information available

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 CONTROL PARAMETERS

Workplace Exposure Limits:

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)	
ingredient	Source	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	Note(s)	
	ACGIH TLV	20	97	-	-	BEI	
	DE (TRGS 900)	-	-	10	49	H,Y, AGS	
ethylene glycol monobutyl ether	DK - At-Vejledning Stoffer og materialier- C.0.1	20	98	-	-	EH	
	EU (2000/39/EC)	20	98	50	246	Skin	
	NO – Forskrift, best.nr. 704	-	-	10	50	Н	
	EH40	25	123	50	246	Sk, BMGV	
Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)	
	Source	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	Note(3)	
	ACGIH TLV	3	7.5	6	15	-	
DE (TRGS 900)		-	-	2	5.1	H,Y,Sh	
ethanolamine	DK - At-Vejledning Stoffer og materialier- C.0.1	1	2.5	-	-	Н	
	EU (2006/15/EC)	1	2.5	3	7.6	Skin	
	NO Administrative Norm	1	2.5	-	-	Н	
	EH40	1	2.5	3	7.6	Skin	

# 8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain

airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness

of ventilation and other control measures.

Environmental exposure controls:

No specific environmental exposure controls known.



Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 17-May-2024 Supersedes: 22-Sep-2016

# FORMULA X™ UHP

Personal Protective Equipment (PPE)

Eye/Face Protection: Wear eye protection/face protection.

Safety glasses or goggles (EN166).

Hand Protection: Wear chemical resistant gloves. (EN374).

Protective index 6, Breakthrough time > 480 mins. (E.g. - nitrile gloves, 0.4 mm thickness)

Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure

to other substances.

Skin Protection: If major exposure is possible, wear suitable protection such as rubber boots, apron, etc.

Respiratory Protection: Respiratory protection should be worn when there is a potential of inadequate ventilation. If

exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-

purpose combination filter. (E.g. - EN 14387- ABEK)

Hygiene Measures: Do not eat, drink or smoke when using this product.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid
Colour: Clear
Odour: slight citrus

Melting point/Freezing point:

Boiling point/Boiling range:

No test data available

No test data available

Flammability: Does not maintain combustion.

Lower and upper explosion limits: No test data available

Flash Point: > 93 °C [Method: Closed cup, ASTM D 56]

Auto-ignition temperature: No test data available Decomposition temperature: No test data available

pH: 12.2 (as supplied) [Method: ASTM E 70]

Kinematic viscosity: < 5 centipoise @ 20°C [Method: Rotational viscometer, Brookfield]

Solubility: Water, completely soluble Partition coefficient n-octanol/water [log Pow]: No test data available

Vapor pressure: No

Density: 1.0 kg/L @ 20°C [Method: Pycnometer, ASTM D 1475]

Relative vapor density:

No test data available
Particle characteristics:

Not applicable to liquids

#### 9.2 OTHER INFORMATION

#### 9.2.1 - Information with regard to physical hazard class:

Oxidising properties:

Not established Explosive properties:

Not established

9.2.2 - Other safety characteristics:

Relative evaporation rate (butylacetate=1): No test data available

VOC content: 42%(as supplied), 8.2%(1:4), 4.6%(1:8), 2.4%(1:16)

## **SECTION 10: STABILITY AND REACTIVITY**

**10.1 REACTIVITY:** None expected under normal conditions.

Reacts exothermically with acids: release of heat.

**10.2 CHEMICAL STABILITY:** Stable under normal conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS: None known under normal conditions.

Reacts exothermically with acids: release of heat.

**10.4 CONDITIONS TO AVOID:**None known under normal conditions.

10.5 INCOMPATIBLE MATERIALS: Strong acids and oxidizing agents.

Do not mix with other chemicals unless stated on the product label.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS: None known





Conforms to 1907/2006/EC - (EU) 2020/878

17-May-2024 Issued: 22-Sep-2016 Supersedes:

FORMULA X™ UHP

#### SECTION 11: TOXICOLOGICAL INFORMATION

# INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) 1272/2008

**ACUTE TOXICITY:** Toxicity testing has not been completed on the mixture.

Harmful if inhaled.

ATE mix (oral) -> 2000 ma/ka Based on available data, the classification criteria are not met. > 2000 mg/kg Based on available data, the classification criteria are not met. ATE mix (dermal) -

ATE <sub>mix</sub> (inhalation) -> 12 mg/l (vapour) Classified as Acute Toxicity (Inhalation) - Category 4

Component	CAS#	LD50 Oral	LD50 Dermal	LC50 Inhalation
ethylene glycol monobutyl ether	111-76-2	1200 mg/kg	> 2000 mg/kg	guinea pig (1hr), >3.1 mg/l
ethanolamine	141-43-5	1515 mg/kg	2504 mg/kg	rat (4hr), > 1.3 mg/l
propylene glycol monobutyl ether	5131-66-8	5660 mg/kg	> 2000 mg/kg`	rat (4hr), >3.5 mg/l

SKIN CORROSION/IRRITATION: Classified as Skin Corrosive - Category 1B

Causes severe skin burns.

**SERIOUS EYE DAMAGE/IRRITATION:** Classified as Eye Damage - Category 1

Causes serious eye damage.

**RESPIRATORY OR SKIN SENSITIZATION:** Based on available data, the classification criteria are not met. **GERM CELL MUTAGENICITY:** Based on available data, the classification criteria are not met. **CARCINOGENICITY:** Based on available data, the classification criteria are not met. REPRODUCTIVE TOXICITY: Based on available data, the classification criteria are not met.

STOT-SINGLE EXPOSURE: Classified as STOT-SE - Category 3

May cause respiratory irritation.

STOT-REPEATED EXPSURE: Based on available data, the classification criteria are not met. **ASPIRATION HAZARD:** Based on available data, the classification criteria are not met.

11.2 INFORMATION ON OTHER HAZARDS

11.2.1 **Endocrine disrupting properties:** None known

11.2.2 Other information: Effects and symptoms related to this mixture, if any, are listed in Section 4.2.

## **SECTION 12: ECOLOGICAL INFORMATION**

**TOXICITY:** Ecological testing has not been completed on the mixture.

Based on criteria 4.1.3 of (EC) 1272/2008 this product is not dangerous to the environment.

Component	CAS#	LC50 fish (96 h)	EC50 Daphnia (48 h)	EC50 algae (72 h)
ethylene glycol monobutyl ether	111-76-2	820-1490 mg/ml	835 mg/l	911 mg/l
ethanolamine	141-43-5	125-2010 mg/ml	33-93 mg/l	2.5 mg/l
propylene glycol monobutyl ether	5131-66-8	560-1000 mg/ml	>1000 mg/l	560 mg/l

#### PERSISTANCE AND DEGRADABILITY: Testing has not been completed on the mixture.

Component	CAS#	Biodegradation
ethylene glycol monobutyl ether	111-76-2	readily biodegradable
ethanolamine	141-43-5	readily biodegradable
propylene glycol monobutyl ether	5131-66-8	readily biodegradable

# 12.3 BIOACCUMULATIVE POTENTIAL: Testing has not been completed on the mixture.

Component	CAS#	Partition coefficient n- octanol/water (Log Kow)	Bioconcentration factor (BCF)
ethylene glycol monobutyl ether	111-76-2	0.81	< 100
ethanolamine	141-43-5	-1.91	< 100
propylene glycol monobutyl ether	5131-66-8	1.2	< 100



Conforms to 1907/2006/EC - (EU) 2020/878

lssued: 17-May-2024 Supersedes: 22-Sep-2016

# FORMULA X™ UHP

12.4 MOBILITY IN SOIL: Testing has not been completed on the mixture.

Component	CAS#	Soil Organic Carbon- Water Partitioning Coefficient (Koc)
ethylene glycol monobutyl ether	111-76-2	67
ethanolamine	141-43-5	1.17
propylene glycol monobutyl ether	5131-66-8	1.3 - 6

12.5 RESULTS OF PBT AND vPvB ASSESSMENT: Not applicable

12.6 ENDOCRINE DISRUPTING PROPERTIES: None known

12.7 OTHER ADVERSE EFFECTS: No additional information available.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1 WASTE TREATMENT METHODS

Disposal of this material should be in accordance with local, regional and national regulations.

EU Waste Catalogue: 20 01 15\* - Alkalines

## **SECTION 14: TRANSPORT INFORMATION**

**14.1 UN NUMBER:** UN1760

14.2 UN PROPER SHIPPING NAME: Corrosive liquid, n.o.s. (ethanolamine)

14.3 TRANSPORT HAZARD CLASSES: 8
14.4 PACKING GROUP: III
14.5 ENVIRONMENTAL HAZARDS: N/A
14.6 SPECIAL PRECAUTIONS FOR USER:

Package volumes < 5 L are shipped as Limited Quantity; as permitted by hazard class and quantity limits.

**IMDG** 

Emergency Schedules (EmS): Fire F-A, Spillage S-B

Stowage and Segregation: Category B. Clear of living quarters.

Marine Pollutant: None

ADR/RID

Class: 8
Item Number: 80
Classification Code C9

14.7 MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS: Product is not transported in bulk.

# SECTION 15: REGULATORY INFORMATION

## 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE

Does not contain substances or labelled product uses subject to REACH Annex XVII restriction.

See Annex XVII of Regulation (EC) 1907/2006 for Designation of the substances and Conditions of restriction.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to EU 649/2012

Contains no substance subject to EU 2019/1021

15.2 CHEMICAL SAFETY ASSESSMENT: No information available

# **SECTION 16: OTHER INFORMATION**

#### **REVISION INFORMATION:**

17-May-2024 - Revisions § 1, 3, 4, 8, 9, 10, 11, 12, 14, 15 & 16



Conforms to 1907/2006/EC - (EU) 2020/878

lssued: 17-May-2024 Supersedes: 22-Sep-2016

# FORMULA X™ UHP

#### **ABBREVIATIONS:**

ACGIH American Conference of Governmental Industrial Hygienists

ATE Acute Toxicity Estimate

CAS No. Chemical Abstract Service Number

CLP Classification Labeling Packaging Regulation (EC) 1272/2008

EC50 Median Effective Concentration.
 EC No. European Union Identification Number
 IMO International Maritime Organization
 LC50 Median Lethal Concentration

LD50 Median Lethal Dose

PBT Persistent Bioaccumulative Toxic

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation, (EC) 1907/2006

SDS Safety Data Sheet

STEL Short-Term Exposure Limit
TWA Time Weighted Average
UFI Unique Formula Identifier

UN United Nations

VOC Volatile Organic Compound

vPvB Very Persistent and Very Bioaccumulative

#### **CLASSIFICATION ACCORDING TO EC 1272/2008:**

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008:				
Skin Corrosion - Category 1	H314	Calculation method		
Eye Damage - Category 1	H318	Calculation method		
Acute Toxicity - Category 4 (Inhalation)	H332	Calculation method		
Specific Target Organ Toxicity (Single Exposure) - Category 3	H335	Calculation method		

## **FULL TEXT OF HAZARD STATEMENTS:**

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

## **FULL TEXT OF PRECAUTIONARY STATEMENTS:**

P261 Avoid breathing mist/vapours/spray.
P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.
P312 Call a POISON CENTRE/doctor if you feel unwell.

P321 Specific treatment (see ... on this label).
P363 Wash contaminated clothing before reuse.

P403+P233 Store in well ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

# **ISSUED BY:**

Chemical/R&D Department

Amano Pioneer Eclipse Corporation

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.