



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 20-May-2024

FORMULA X-TREME™

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product Name: Formula X-TREME™ High Performance Stripper Product Number: 549MPEU
UFI: U4H1-N09S-2004-UQG3

1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.
Intended Use: Floor finish remover concentrate
Uses Advised Against: Other than per labelled instructions.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Manufacturer:

Amano Pioneer Eclipse Corporation
P.O. Box 909
1 Eclipse Road
Sparta, NC 28675
Telephone: 1-336-372-8080
Email: sds@pioneereclipse.com
Internet: www.pioneereclipse.com

1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night.
Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)



SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE MIXTURE

This mixture has been classified according to EC 1272/2008:
Acute Toxicity (Inhalation) - Category 3
Acute Toxicity (Oral) - Category 4
Eye Damage - Category 1
Skin Corrosion - Category 1B
Specific Target Organ Toxicity (Single Exposure) - Category 3

2.2 LABEL ELEMENTS

Signal Word: Danger

Hazard pictograms:  

Hazard Statements:

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H331 Toxic if inhaled.

Precautionary Statements:

P260 Do not breathe mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/eye protection/face protection.
P312 Call a POISON CENTER/doctor if you feel unwell.
P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340+P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**SAFETY DATA SHEET**

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 20-May-2024

FORMULA X-TREME™**2.3 OTHER HAZARDS** May cause respiratory irritation.**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1/3.2 SUBSTANCES/MIXTURES**

Ingredient	EC No.	Weight %	CAS No.	CLP Classification	
				Hazard Class	Hazard Statement(s)*
ethylene glycol monobutyl ether	203-905-0	10 - 30	111-76-2	Acute Tox 3 Acute Tox 4 Eye Irrit 2 Skin Irrit 2	H331 H302 H319 H315
benzyl alcohol	202-859-9	20 - 30	100-51-6	Acute Tox 4	H302, H332
ethanolamine	205-483-3	15 - 25	141-43-5	Acute Tox 4 Skin Corr 1B STOT SE 3	H302, H312, H332 H314 H335

*See section 16 for the full text of Hazard Statements

Ingredient	EC No.	CAS No.	Specific Concentration Limits ATE**
ethylene glycol monobutyl ether	203-905-0	111-76-2	ATE (oral) = 1200 mg/kg ATE (inhalation) = 3 mg/L (vapours)
ethanolamine	205-483-3	141-43-5	(5 ≤ C ≤ 100) STOT SE 3, H335

SECTION 4: FIRST AID MEASURES**4.1 DESCRIPTION OF FIRST AID MEASURES**

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.

Skin Contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Seek medical attention.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Seek medical attention immediately.

Ingestion: Rinse mouth. Immediately call a POISON CENTER or doctor. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye Contact: Causes serious eye damage. May cause permanent damage.

Skin Contact: Causes severe skin burns.

Inhalation: Harmful if inhaled. May cause respiratory irritation.

Ingestion: Harmful if swallowed. May cause burns to mouth, throat and stomach.

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No information available.

SECTION 5: FIRE FIGHTING MEASURES**5.1 EXTINGUISHING MEDIA**

In case of fire: use dry chemical, water spray, foam, carbon dioxide

5.2 SPECIAL HAZARDS ARISING FROM THE MIXTUREHazardous combustion products: CO, CO₂

During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include but not limited to the above mentioned substances.

5.3 ADVICE FOR FIRE FIGHTERS

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents. Materials can splatter above 100°C/212°F. Corrosive material.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Refer to Section 8 for appropriate personal protective equipment.



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 20-May-2024

FORMULA X-TREME™

6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and open bodies of water.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Neutralize spill area. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

6.4 REFERENCE TO OTHER SECTIONS: Refer to Section 8 of the SDS.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Use only in well-ventilated areas. Avoid breathing vapours or spray mists. Remove and wash contaminated clothing and footwear before re-use.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

7.3 SPECIFIC END USE(S): No information available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Workplace Exposure Limits:

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
		ppm	mg/m ³	ppm	mg/m ³	
ethylene glycol monobutyl ether	ACGIH TLV	20	97	-	-	BEI
	DE (TRGS 900)	-	-	10	49	H,Y, AGS
	DK - At-Vejledning Stoffer og materialier- C.0.1	20	98	-	-	EH
	EU (2000/39/EC)	20	98	50	246	Skin
	NO – Forskrift, best.nr. 704	-	-	10	50	H
	EH40	25	123	50	246	Sk, BMGV

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
		ppm	mg/m ³	ppm	mg/m ³	
ethanolamine	ACGIH TLV	3	7.5	6	15	-
	DE (TRGS 900)	-	-	2	5.1	H,Y,Sh
	DK - At-Vejledning Stoffer og materialier- C.0.1	1	2.5	-	-	H
	EU (2006/15/EC)	1	2.5	3	7.6	Skin
	NO Administrative Norm	1	2.5	-	-	H
	EH40	1	2.5	3	7.6	Skin

8.2 EXPOSURE CONTROLS

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.

Environmental exposure controls: No specific environmental exposure controls known.

Personal Protective Equipment (PPE)

Eye/Face Protection: Wear eye protection/face protection.
Safety glasses or goggles (EN166).



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 20-May-2024

FORMULA X-TREME™

Hand Protection:	Wear chemical resistant gloves. (EN374). Protective index 6, Breakthrough time > 480 mins. (E.g. - nitrile gloves, 0.4 mm thickness) Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure to other substances.
Skin Protection:	If major exposure is possible, wear suitable protection such as rubber boots, apron, etc.
Respiratory Protection:	Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-purpose combination filter. (E.g. - EN 14387- ABEK)
Hygiene Measures:	Do not eat, drink or smoke when using this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	Clear
Odour:	Butyl odor. No added fragrance.
Melting point/Freezing point:	No test data available
Boiling point/Boiling range:	No test data available
Flammability:	Does not maintain combustion.
Lower and upper explosion limits:	No test data available
Flash Point:	> 93 °C [Method: Closed cup, ASTM D 56]
Auto-ignition temperature:	No test data available
Decomposition temperature:	No test data available
pH:	12.5 (as supplied) [Method: ASTM E 70]
Kinematic viscosity:	< 20 centipoise @ 20°C [Method: Rotational viscometer, Brookfield]
Solubility:	Water, completely soluble
Partition coefficient n-octanol/water [log Pow]:	No test data available
Vapor pressure:	No
Density:	0.98 kg/L @ 20°C [Method: Pycnometer, ASTM D 1475]
Relative vapor density:	No test data available
Particle characteristics:	Not applicable to liquids

9.2 OTHER INFORMATION

9.2.1 - Information with regard to physical hazard class:

Oxidising properties:	Not established
Explosive properties:	Not established

9.2.2 - Other safety characteristics:

Relative evaporation rate (butylacetate=1):	No test data available
VOC content:	61.5% (as supplied), 2.9% (1:20), 2.0% (1:30), 1.5% (1:40)

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY:	None expected under normal conditions. Reacts exothermically with acids: release of heat.
10.2 CHEMICAL STABILITY:	Stable under normal conditions.
10.3 POSSIBILITY OF HAZARDOUS REACTIONS:	None known under normal conditions. Reacts exothermically with acids: release of heat.
10.4 CONDITIONS TO AVOID:	None known under normal conditions.
10.5 INCOMPATIBLE MATERIALS:	Strong acids and oxidizing agents. Do not mix with other chemicals unless stated on the product label.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS:	None known



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 20-May-2024

FORMULA X-TREME™

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) 1272/2008

ACUTE TOXICITY: Toxicity testing has not been completed on the mixture.
Harmful if swallowed. Toxic if inhaled.

ATE_{mix} (oral) 1390 mg/kg Classified as Acute Toxicity (Oral) - Category 4
 ATE_{mix} (dermal) > 2000 mg/kg Based on available data, the classification criteria are not met.
 ATE_{mix} (inhalation) 6.5 mg/l (4 hr/vapour) Classified as Acute Toxicity (Inhalation) - Category 3

Component	CAS #	LD50 Oral	LD50 Dermal	LC50 Inhalation
ethylene glycol monobutyl ether	111-76-2	ATE = 1200 mg/kg	> 2000 mg/kg	ATE = 3 mg/l
benzyl alcohol	100-51-6	1230 mg/kg	2000 mg/kg	rat (8hr), 8.9 mg/l
ethanolamine	141-43-5	1515 mg/kg	2504 mg/kg	rat (4hr), > 1.3 mg/l

SKIN CORROSION/IRRITATION: Classified as Skin Corrosive - Category 1B
Causes severe skin burns.

SERIOUS EYE DAMAGE/IRRITATION: Classified as Eye Damage - Category 1
Causes serious eye damage.

RESPIRATORY OR SKIN SENSITIZATION: Based on available data, the classification criteria are not met.

GERM CELL MUTAGENICITY: Based on available data, the classification criteria are not met.

CARCINOGENICITY: Based on available data, the classification criteria are not met.

REPRODUCTIVE TOXICITY: Based on available data, the classification criteria are not met.

STOT-SINGLE EXPOSURE: Classified as STOT-SE - Category 3
May cause respiratory irritation.

STOT-REPEATED EXPSURE: Based on available data, the classification criteria are not met.

ASPIRATION HAZARD: Based on available data, the classification criteria are not met.

11.2 INFORMATION ON OTHER HAZARDS

11.2.1 **Endocrine disrupting properties:** None known
 11.2.2 **Other information:** Effects and symptoms related to this mixture, if any, are listed in Section 4.2.

SECTION 12: ECOLOGICAL INFORMATION

12.1 **TOXICITY:** Ecological testing has not been completed on the mixture.
Based on criteria 4.1.3 of (EC) 1272/2008 this product is not dangerous to the environment.
Component details are given below:

Component	CAS #	LC50 fish (96 h)	EC50 Daphnia (48 h)	EC50 algae (72 h)
ethylene glycol monobutyl ether	111-76-2	820-1490 mg/ml	835 mg/l	911 mg/l
benzyl alcohol	100-51-6	770 mg/ml	400 mg/l	640 mg/l
ethanolamine	141-43-5	125-2010 mg/ml	33-93 mg/l	2.5 mg/l

12.2 **PERSISTANCE AND DEGRADABILITY:** Testing has not been completed on the mixture.

Component	CAS #	Biodegradation
ethylene glycol monobutyl ether	111-76-2	readily biodegradable
benzyl alcohol	100-51-6	readily biodegradable
ethanolamine	141-43-5	readily biodegradable

12.3 **BIOACCUMULATIVE POTENTIAL:** Testing has not been completed on the mixture.

Component	CAS #	Partition coefficient n-octanol/water (Log Kow)	Bioconcentration factor (BCF)
ethylene glycol monobutyl ether	111-76-2	0.81	< 100
benzyl alcohol	100-51-6	data not available	<100
ethanolamine	141-43-5	-1.91	< 100

**SAFETY DATA SHEET**

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 20-May-2024

FORMULA X-TREME™**12.4 MOBILITY IN SOIL:** Testing has not been completed on the mixture.

Component	CAS #	Soil Organic Carbon-Water Partitioning Coefficient (Koc)
ethylene glycol monobutyl ether	111-76-2	67
benzyl alcohol	100-51-6	data not available
ethanolamine	141-43-5	1.17

12.5 RESULTS OF PBT AND vPvB ASSESSMENT: Not applicable**12.6 ENDOCRINE DISRUPTING PROPERTIES:** None known**12.7 OTHER ADVERSE EFFECTS:** No additional information available.**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 WASTE TREATMENT METHODS**

Disposal of this material should be in accordance with local, regional and national regulations.

EU Waste Catalogue: 20 01 15* - Alkalines

SECTION 14: TRANSPORT INFORMATION**14.1 UN NUMBER:** UN1760**14.2 UN PROPER SHIPPING NAME:** Corrosive liquid, n.o.s. (ethanolamine)**14.3 TRANSPORT HAZARD CLASSES:** 8**14.4 PACKING GROUP:** II**14.5 ENVIRONMENTAL HAZARDS:** N/A**14.6 SPECIAL PRECAUTIONS FOR USER:**

Package volumes < 1 L are shipped as Limited Quantity; as permitted by hazard class and quantity limits.

IMDG

Emergency Schedules (EmS): Fire F-A, Spillage S-B

Stowage and Segregation: Category B. Clear of living quarters.

Marine Pollutant: None

ADR/RID

Class: 8

Item Number: 80

Classification Code: C9

14.7 MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS: Product is not transported in bulk.**SECTION 15: REGULATORY INFORMATION****15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE**

Does not contain substances or labelled product uses subject to REACH Annex XVII restriction.

See Annex XVII of Regulation (EC) 1907/2006 for Designation of the substances and Conditions of restriction.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to EU 649/2012

Contains no substance subject to EU 2019/1021

15.2 CHEMICAL SAFETY ASSESSMENT: No information available.**SECTION 16: OTHER INFORMATION****REVISION INFORMATION:**

20-May-24 - SDS issue



SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 20-May-2024

FORMULA X-TREME™

ABBREVIATIONS:

ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute Toxicity Estimate
CAS No.	Chemical Abstract Service Number
CLP	Classification Labeling Packaging Regulation (EC) 1272/2008
EC50	Median Effective Concentration.
EC No.	European Union Identification Number
IMO	International Maritime Organization
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation, (EC) 1907/2006
SDS	Safety Data Sheet
STEL	Short-Term Exposure Limit
TWA	Time Weighted Average
UFI	Unique Formula Identifier
UN	United Nations
VOC	Volatile Organic Compound
vPvB	Very Persistent and Very Bioaccumulative

CLASSIFICATION ACCORDING TO EC 1272/2008:

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008:		
Acute Toxicity -Category 4 (Oral)	H302	Calculation method
Acute Toxicity - Category 3 (Inhalation)	H331	Calculation method
Skin Corrosion - Category 1	H314	Calculation method
Eye Damage - Category 1	H318	Calculation method
Specific Target Organ Toxicity (Single Exposure) - Category 3	H335	Calculation method

FULL TEXT OF HAZARD STATEMENTS:

H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

FULL TEXT OF PRECAUTIONARY STATEMENTS:

P261	Avoid breathing mist/vapours/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P321	Specific treatment (see ... on this label).
P363	Wash contaminated clothing before reuse.
P403+P233	Store in well ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

ISSUED BY:

Chemical/R&D Department
Amano Pioneer Eclipse Corporation

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.