

**SAFETY DATA SHEET**

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 24 Oct 2022

Supersedes: 23 July 2020

**STA-BRITE 20™****SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 PRODUCT IDENTIFIER**

Product Name: Sta-Brite 20 Low Maintenance Floor Coating  
UFI: 8TCM-RCWF-F004-U4TU

Product Number: 130L5

**1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST**

Product intended for commercial and industrial use only.

Intended Use: Floor finish

Uses Advised Against: Other than per labelled instructions.

**1.3 DETAILS OF THE DISTRIBUTOR**

Marpól ehf  
Dalbrekka 15  
200 Kópavogur  
Iceland  
Telephone: +354 5445588  
Email: marpol@marpol.is  
Internet: www.marpol.is

**1.4 EMERGENCY TELEPHONE NUMBER**

**For Chemical Emergency:** Spill, Leak, Fire, Exposure or Accident. Call 112 EMERGENCY SERVICES Day or Night. 543-2222 POISON CENTRE (EITRUNARMÍÐSTÖÐ)

**SECTION 2: HAZARDS IDENTIFICATION****2.1 CLASSIFICATION OF THE MIXTURE**

This mixture has been classified according to EC 1272/2008.

Classification: Skin Sensitisation - Category 1

**2.2 LABEL ELEMENTS**

Signal Word: Warning

Hazard pictogram:



Contains: Benzisothiazolinone, Methylisothiazolinone

Hazard Statement:

H317 May cause an allergic skin reaction.

Precautionary Statements:

P261 Avoid breathing vapours.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

**2.3 OTHER HAZARDS** No other hazards are known to the supplier.**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1/3.2 SUBSTANCES/MIXTURES**

Ingredient	EC No.	Weight %	CAS No.	REACH-No.	CLP Classification	
					Hazard Class	Hazard Statement(s)*
Tributoxyethylphosphate	201-122-9	1 - < 5	78-51-3	01-2119485835-23	AquaChr 3	H412

**SAFETY DATA SHEET**

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 24 Oct 2022

Supersedes: 23 July 2020

**STA-BRITE 20™**

Ammonium hydroxide	215-647-6	< 0,1	1336-21-6	01- 2119488876 -14	Skin Corr 1B AquaAcute1	H314 H400
1-Methoxy-2-propanol	203-539-1	< 0,1	107-98-2	01- 2119457435 -35	Flam Liq 3 STOT SE 3	H226 H336
1,2-Benzisothiazol-3(2H)-one	220-120-9	< 0,1	2634-33-5	01- 2120761540 -60	AcuteTox 4 Skin Irrit 2 Eye Dam 1 Skin Sens 1 AquaAcute1	H302 H315 H318 H317 H400
2-Methylisothiazol-3(2H)-one	220-293-6	< 0,1	2682-20-4	01- 2120764690 -50	AcuteTox 3 AcuteTox 2 Skin Corr 1B Skin Sens 1A Eye Dam 1 AquaAcute1 AquaChr 1	H301, H311 H330 H314 H317 H318 H400 H410

\*See section 16 for the full text of (EU) Hazard Statements

Ingredient	EC No.	CAS No.	Specific Concentration Limits M-Factors
Ammonium hydroxide	215-647-6	1336-21-6	(5 ≤ C ≤ 100) STOT SE 3, H335
1,2-Benzisothiazol-3(2H)-one	220-120-9	2634-33-5	(0,05 ≤ C ≤ 100) Skin Sens 1, H317
2-Methylisothiazol-3(2H)-one	220-293-6	2682-20-4	(0,0015 ≤ C ≤ 100) Skin Sens 1A, H317 Aquatic Acute 1, H400; M=10

**SECTION 4: FIRST AID MEASURES****4.1 DESCRIPTION OF FIRST AID MEASURES**

**Eye Contact:** Immediately rinse with clean water for 10-15 minutes. If eye irritation persists: Get medical advice/attention.

**Skin Contact:** Wash skin with mild soap and water.

**Inhalation:** If experiencing respiratory symptoms: Allow affected person to breathe fresh air.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Give water to drink. Seek medical advice immediately and show this container or label.

**4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

This mixture is not expected to produce significant adverse health effects when recommended use instructions are followed.

**Eye Contact:** May cause slight irritation.

**Skin Contact:** None expected under normal use. Prolonged contact may cause slight irritation and redness.

**Inhalation:** None expected under normal use.

**Ingestion:** May cause irritation of the linings of the mouth, throat and gastrointestinal tract.

**4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED**

In case of any doubt or when irritation occurs or persists seek medical advice. If medical advice is needed, have product container or label at hand.

**SECTION 5: FIRE FIGHTING MEASURES****5.1 EXTINGUISHING MEDIA**

In case of fire: use dry chemical, water spray, foam, carbon dioxide.

**5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE**

The product itself does not maintain combustion.

**5.3 ADVICE FOR FIRE FIGHTERS**

Use fire fighting measures that suit the environment. As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection. Fire-fighters should wear clothing conforming to EN469 for chemical incidents.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**SAFETY DATA SHEET**

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 24 Oct 2022

Supersedes: 23 July 2020

**STA-BRITE 20™****6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

Material spilled on hard surface can present a serious slipping/falling hazard.

**6.2 ENVIRONMENTAL PRECAUTIONS**

Keep spills and cleaning runoff out of sewers and open bodies of water.

**6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP**

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

**6.4 REFERENCE TO OTHER SECTIONS:**

Refer to Section 8 of the SDS - Personal precautions

Refer to Section 7 of the SDS - Precautions in handling and storage

Refer to Section 13 of the SDS - Waste disposal recommendations

**SECTION 7: HANDLING AND STORAGE****7.1 PRECAUTIONS FOR SAFE HANDLING**

Avoid contact with eyes and skin. Wash thoroughly after handling. Use in well-ventilated areas.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

**7.3 SPECIFIC END USE(S):** No information available**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 CONTROL PARAMETERS****Workplace Exposure Limits:**

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
1-Methoxy-2-propanal (CAS# 107-98-2)	ACGIH TLV	50	184	100	369	
	DE (TRGS 900)	-	-	100	370	<sup>2(l)</sup> DFG, EU,Y
	DK - At-Vejledning Stoffer og materialier- C.0.1	50	185	-	-	E
	EU (2000/39/EC)	100	375	150	568	Skin
	NO – Forskrift, best.nr. 704	50	180	-	-	H *
	NL - Grenswaarde TGG	-	375	-	563	H
	EH40	100	375	150	560	Sk
Ammonium hydroxide (CAS# 1336-21-6) Listed as Ammonia	EU (2000/39/EC)	20	14	50	36	
	NL - Grenswaarde TGG	-	14	-	-	

**8.2 EXPOSURE CONTROLS**

Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.

Environmental exposure controls: No specific environmental exposure controls known.

**Personal Protective Equipment (PPE)**

Eye/Face Protection: Under normal use of this product, eye protection not necessary. If there is a risk of liquid being splashed: Wear eye protection.

## SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 24 Oct 2022

Supersedes: 23 July 2020

**STA-BRITE 20™**

Safety glasses or goggles (EN166).

- Hand Protection: Chemical resistant gloves are recommended. (EN374).  
Protective gloves should be selected according to the application and duration of use. Workplace selection should take into consideration handling requirements, physical requirements and exposure to other substances.
- Respiratory Protection: Under normal use of this product, respiratory protection not necessary. Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator with multi-purpose combination filter. (E.g. - EN 14387- ABEK)
- Hygiene Measures: Do not eat, drink or smoke when using this product.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	milky white
Odour:	slight ammonia, no added fragrance
Melting point/Freezing point:	± -3,5 °C
Boiling point/Boiling range:	± 95 °C
Flammability:	Does not maintain combustion.
Lower and upper explosion limits:	No data available
Flash Point:	> 93°C
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	9,0
Kinematic viscosity:	< 10 mm <sup>2</sup> /s
Solubility:	Water, completely soluble
Partition coefficient n-octanol/water [log Pow]:	-0,46 (calculated value)
Vapor pressure:	24,6 hPa
Density:	1,03 g/cm <sup>3</sup>
Relative vapor density:	No data available
Particle characteristics:	Not applicable to liquids

#### 9.2 OTHER INFORMATION

##### 9.2.1 - Information with regard to physical hazard class:

Oxidising properties:	Not established
Explosive properties:	Not established

##### 9.2.2 - Other safety characteristics:

Relative evaporation rate (butylacetate=1):	0,4
VOC:	5,61%

### SECTION 10: STABILITY AND REACTIVITY

- 10.1 REACTIVITY: Stable under normal conditions.
- 10.2 CHEMICAL STABILITY: Stable under normal conditions.
- 10.3 POSSIBILITY OF HAZARDOUS REACTIONS: None known
- 10.4 CONDITIONS TO AVOID: None known
- 10.5 INCOMPATIBLE MATERIALS: Do not mix with other chemicals unless stated on the product label.
- 10.6 HAZARDOUS DECOMPOSITION PRODUCTS: None known

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 INFORMATION ON HAZARD CLASSES AS DEFINED BY REGULATION (EC) 1272/2008

ACUTE TOXICITY: Toxicity testing has not been completed on the mixture.

**SAFETY DATA SHEET**

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 24 Oct 2022

Supersedes: 23 July 2020

**STA-BRITE 20™**

ATE<sub>mix</sub> (oral): > 2000 mg/kg  
 ATE<sub>mix</sub> (dermal): > 2000 mg/kg  
 ATE<sub>mix</sub> (inhalation): > 20 mg/l (4 hr/vapour)

Based on criteria 3.1.3 from (EC) 1272/2008, the Acute Toxicity classification criteria are not met.

Components details are given below:

Component	CAS #	LD50 Oral Rat	LD50 Dermal Rabbit	LC50 Inhalation Rat
Tributoxyethylphosphate	78-51-3	3000 mg/kg	> 5000 mg/kg	> 6,4 mg/l
1-Methoxy-2-propanol	107-98-2	3739 mg/kg	> 2000 mg/kg	> 26315 mg/l (4h)
1,2-Benzisothiazol-3(2H)-one	2634-33-5	1020 mg/kg	4115 mg/kg	100 mg/l (4h)
Ammonium hydroxide	1336-21-6	350 mg/kg	data not available	3310 mg/l (4h)

**SKIN CORROSION/IRRITATION:**

Based on available data, the classification criteria are not met.

**SERIOUS EYE DAMAGE/IRRITATION:**

Based on available data, the classification criteria are not met.

**RESPIRATORY OR SKIN SENSITIZATION:**

Classified as Skin Sensitisation - Category 1.

May cause an allergic skin reaction

**GERM CELL MUTAGENICITY:**

Based on available data, the classification criteria are not met.

**CARCINOGENICITY:**

Based on available data, the classification criteria are not met.

**REPRODUCTIVE TOXICITY:**

Based on available data, the classification criteria are not met.

**STOT-SINGLE EXPOSURE:**

Based on available data, the classification criteria are not met.

**STOT-REPEATED EXPOSURE:**

Based on available data, the classification criteria are not met.

**ASPIRATION HAZARD:**

Based on available data, the classification criteria are not met.

**11.2 INFORMATION ON OTHER HAZARDS****11.2.1 Endocrine disrupting properties:** None known**11.2.2 Other information:** No additional information available**SECTION 12: ECOLOGICAL INFORMATION****12.1 TOXICITY:** Ecological testing has not been completed on the mixture.

Based on criteria 4.1.3 of (EC) 1272/2008 this product is not dangerous to the environment. Components that are dangerous to the environment are mentioned below.

Component	CAS #	LC50 fish (96 h)	EC50 Daphnia (48 h)	EC50 Algae (72 h)
Tributoxyethylphosphate	78-51-3	24 mg/l	75 mg/l	61 mg/l
1-Methoxy-2-propanol	107-98-2	> 4600 mg/l	23300 mg/l	> 500 mg/l
1,2-Benzisothiazol-3(2H)-one	2634-33-5	2,18 mg/l	2,94 mg/l	0,11 mg/l
2-Methylisothiazol-3(2H)-one	2682-20-4	4,77 mg/kg	0,934 mg/l	0,0725 mg/l
Ammonium hydroxide	1336-21-6	0,89 mg/l	110 mg/l	2,7 mg/l

**12.2 PERSISTENCE AND DEGRADABILITY:**

Component	CAS #	Biodegradability
Tributoxyethylphosphate	78-51-3	Readily biodegradable
1-Methoxy-2-propanol	107-98-2	Readily biodegradable
Ammonium hydroxide	1336-21-6	Readily biodegradable

**12.3 BIOACCUMULATIVE POTENTIAL:**

Product / Component	CAS #	Partition coefficient n-octanol/water
Sta-Brite 20	mixture	-0,46 (calculated)
Tributoxyethylphosphate	78-51-3	3,75
1-Methoxy-2-propanol	107-98-2	1

**SAFETY DATA SHEET**

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 24 Oct 2022

Supersedes: 23 July 2020

**STA-BRITE 20™**

1,2-Benzisothiazol-3(2H)-one	2634-33-5	0,7
2-Methylisothiazol-3(2H)-one	2682-20-4	-0,32
Ammonium hydroxide	1336-21-6	-0,54

**12.4 MOBILITY IN SOIL:** Testing has not been completed on the mixture.**12.5 RESULTS OF PBT AND vPvB ASSESSMENT:**

Sta-Brite 20	This mixture does not meet the PBT criteria of REACH regulation, Annex XIII. This mixture does not meet vPvB criteria of REACH regulation, Annex XIII.
--------------	---

**12.6 ENDOCRINE DISRUPTING PROPERTIES:** None known**12.7 OTHER ADVERSE EFFECTS:** No additional information available.**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 WASTE TREATMENT METHODS**

Disposal of this material should be in accordance with local, regional and national regulations.

EU Waste Catalogue: 16 03 05\* Organic wastes containing dangerous substances

**SECTION 14: TRANSPORT INFORMATION**

Product is not classified as hazardous for transport regulations.

**14.1 UN NUMBER:** None**14.2 UN PROPER SHIPPING NAME:** None**14.3 TRANSPORT HAZARD CLASSES:** None**14.4 PACKING GROUP:** None**14.5 ENVIRONMENTAL HAZARDS:** None**14.6 SPECIAL PRECAUTIONS:** None**14.7 MARITIME TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS:** Product is not transported in bulk.**SECTION 15: REGULATORY INFORMATION****15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE**

Does not contain substances or labelled product uses subject to REACH Annex XVII restriction.

See Annex XVII of Regulation (EC) 1907/2006 for Designation of the substances and Conditions of restriction.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to EU 649/2012

Contains no substance subject to EU 2019/1021

**15.2 CHEMICAL SAFETY ASSESSMENT:** No information available.**SECTION 16: OTHER INFORMATION****REVISION INFORMATION:**

24 Oct 2022 - Revisions per (EU) 2020/878; § 1, 2, 3, 4, 9, 11, 12, 14, &amp; 16

**ABBREVIATIONS:**

ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute Toxicity Estimate
CAS No.	Chemical Abstract Service Number
CLP	Classification Labeling Packaging Regulation (EC) 1272/2008
EC50	Median Effective Concentration.
EC No.	European Union Identification Number
IMO	International Maritime Organization
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation, (EC) 1907/2006
SDS	Safety Data Sheet

## SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 2020/878

Issued: 24 Oct 2022

Supersedes: 23 July 2020

**STA-BRITE 20™**

STEL	Short-Term Exposure Limit
TWA	Time Weighted Average
UFI	Unique Formula Identifier
UN	United Nations
VOC	Volatile Organic Compound
vPvB	Very Persistent and Very Bioaccumulative

### CLASSIFICATION ACCORDING TO EC 1272/2008:

Classification and procedure used to derive the classification for mixture:		
Skin Sens 1	H317	Calculation method

### FULL TEXT OF HAZARD STATEMENTS:

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### FULL TEXT OF PRECAUTIONARY STATEMENTS:

EUH210	Safety data sheet available on request.
P272	Contaminated work clothing should not be allowed out of the workplace.
P321	Specific treatment (see the label).
P362+P364	Take off contaminated clothing and wash it before reused.
P501	Dispose of contents/container in accordance with local, regional and national regulations.

### ISSUED BY:

Chemical/R&D Department  
Amano Pioneer Eclipse Corporation

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.